

101612734

Docket 90041/DAN
Customer No. 01333

COFC

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

Christopher J. Edge, et al

COLOR IMAGE PROCESSING

Patent No. 7,120,295

Issued October 10, 2006

Assignee: Eastman Kodak Company

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Lisa Demanck
Lisa Demanck

Date *January 25, 2007*

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

REQUEST FOR CERTIFICATE OF CORRECTION**UNDER RULE 322**

Request is hereby made on behalf of the inventor and assignee that hereinafter-identified mistakes in the above-identified patent can be corrected by issuance of a Certificate of Correction. Such mistakes occurred in some instances as a result of the fault of the Patent Office.

The location of such mistakes in the patent, and of the corresponding correct language in the application, are as follows:

Patent Reference

Column 18, line 12

Column 18, lines 24, 27, 35

Column 20, lines 13 and 17

Column 20, lines 26, 30, 38 and 46

Column 22, line 3

Application ReferenceClaim 38 of Supplemental
Amendment dated 4/19/06Claim 40 of Supplemental
Amendment dated 4/19/06Claim 46 of Supplemental
Amendment dated 4/19/06Claim 47 of Supplemental
Amendment dated 4/19/06Claim 50 of Supplemental
Amendment dated 4/19/06

Certificate
FEB 01 2007
of Correction

FEB - 5 2007

The Director is hereby authorized to charge any fees in connection with this communication to Eastman Kodak Company Deposit Account No. 05-0225.

A duplicate copy of this letter is enclosed.

Respectfully submitted,



Attorney for Patentee(s)
Registration No. 33,324

David A. Novais/lid
Telephone: 585-722-9349
Facsimile: 585-477-1148

If the Examiner is unable to reach the Patentee(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.



Docket 90041/DAN
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Christopher J. Edge, et al

COLOR IMAGE PROCESSING

Patent No. 7,120,295

Issued October 10, 2006

Assignee: Eastman Kodak Company

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22312-1450.

Lisa DeMunck

Date

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULE 322

Request is hereby made on behalf of the inventor and assignee that hereinafter-identified mistakes in the above-identified patent can be corrected by issuance of a Certificate of Correction. Such mistakes occurred in some instances as a result of the fault of the Patent Office.

The location of such mistakes in the patent, and of the corresponding correct language in the application, are as follows:

Patent Reference

Column 18, line 12

Column 18, lines 24, 27, 35

Column 20, lines 13 and 17

Column 20, lines 26, 30, 38 and 46

Column 22, line 3

Application Reference

Claim 38 of Supplemental
Amendment dated 4/19/06

Claim 40 of Supplemental
Amendment dated 4/19/06

Claim 46 of Supplemental
Amendment dated 4/19/06

Claim 47 of Supplemental
Amendment dated 4/19/06

Claim 50 of Supplemental
Amendment dated 4/19/06

FEB - 5 2007

The Director is hereby authorized to charge any fees in connection with this communication to Eastman Kodak Company Deposit Account No. 05-0225.

A duplicate copy of this letter is enclosed.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "David A. Novais", is written over a horizontal line.

Attorney for Patentee(s)
Registration No. 33,324

David A. Novais/l
Telephone: 585-722-9349
Facsimile: 585-477-1148

If the Examiner is unable to reach the Patentee(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.

--2 FEB - 5 2007

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO.: 7,120,295
DATED: October 10, 2006
INVENTOR(S): Christopher J. Edge, et al

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18, line 12	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 18, line 24	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 18, line 27	First line of the equation, delete the second occurrence of "0" and insert $--X_1--$
Column 18, line 35	In equation: " $M_y =$ " should read as $--M_v =--$
Column 20, line 13	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 20, line 17	" M_y " should read as $--M_v--$
Column 20, line 26	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 20, line 30	In equation: " M_y " should read as $--M_v--$
Column 20, line 38	In equation: " $M_y =$ " should read as $-- M_v =--$
Column 20, line 46	" M_y " should read as $--M_v--$
Column 22, line 3	"calorimetry" should read as $--colorimetry--$

FEB - 5 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.: 7,120,295
DATED: October 10, 2006
INVENTOR(S): Christopher J. Edge, et al

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18, line 12	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 18, line 24	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 18, line 27	First line of the equation, delete the second occurrence of "0" and insert $--X_1--$
Column 18, line 35	In equation: " $M_y =$ " should read as $--M_v =--$
Column 20, line 13	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 20, line 17	" M_y " should read as $--M_v--$
Column 20, line 26	In equation: " $= M_y^{-1}$ " should read as $--= M_v^{-1}--$
Column 20, line 30	In equation: " M_y " should read as $--M_v--$
Column 20, line 38	In equation: " $M_y =$ " should read as $-- M_v =--$
Column 20, line 46	" M_y " should read as $--M_v--$
Column 22, line 3	"calorimetry" should read as $--colorimetry--$